Evaluating Environmental Flows for the Rio Grande Silvery Minnow

Dr. Michael Porter Fishery Biologist Albuquerque District


EWN workshop March 31, 2015





US Army Corps of Engineers BUILDING STRONG® and Taking Care of People!





Spawning and Nursery Habitat





Recruitment Analysis

Evaluate spring runoff flows for fish recruitment and overbanking flows through the Middle Rio Grande Valley



- Analysis: focus on recruitment trends (young fish produced May-July)
- Question: production determined by ...
 - Spring volume?
 - Spring hydrograph?
 - · Inundation area?






Environmental Flow

- Analysis: focus on population and production trends
 - Exploratory data analysis
 - Spring hydrograph How to describe the hydrograph?
- Spring volume three month volume (acre-feet)
- Inundation area as a function of five day mean flow (acres)
- Spring hydrograph?
 - Peak Flow (cfs)
 - Mean or Minimum Flow (cfs) for how many days (5, 7, 9, ...?)
 - Distribution of flow (around or following peak?)
 - Number of days (May-July) above a target flow (cfs)











Flow Metrics

Evaluated different ways (28) to describe spring flow

Peak flow (cfs)

April - June volume (KAF)

May - July volume (KAF)

Total Inundated Area (acres)

5, 7, 9, 11 day mean & minimum cfs


15, 20, 30 day minimum cfs


Days above 1000-6500 cfs


Better r² using post-peak versus symmetrical metrics











Thanks to

Ondrea Hummel – Albuquerque District Ryan Gronewold – Albuquerque District Susan Bittick – Albuquerque District Daniel Goodman – Montana State University Ken Gerow – University of Wyoming

For their assistance and support.





Questions?



Michael Porter

<u>Michael.D.Porter@usace.army.mil</u>

505-342-3264

Ondrea Hummel
Ondrea.C.Hummel@usace.army.mil
505-342-3375









BUILDING STRONG® and Taking Care of People!